

# Intro to R

Data Classes

One dimensional types (“vectors”)

# Data Types

- \* Character: strings or individual characters, quoted
- \* Numeric: any real number(s)
- \* Integer: any integer(s)/whole numbers
- \* Factor: categorical/qualitative variables
- \* Logical: variables composed of TRUE or FALSE
- \* Date/POSIXct: represents calendar dates and times

## Character and numeric

We have already covered character and numeric types.

```
class(c("tree", "cloud", "stars_&_sky"))
```

```
## [1] "character"
```

```
class(c(1, 4, 7))
```

```
## [1] "numeric"
```

## Character and numeric

This can also be a bit tricky.

```
class(c(1, 2, "tree"))
```

```
## [1] "character"
```

```
class(c("1", "4", "7"))
```

```
## [1] "character"
```

# Numeric Subclasses

There are two major numeric subclasses

1. Integer
2. Double

# Integer

Integer is a special subset of `numeric` that contains only whole numbers

A sequence of numbers is an example of the integer type. You can use the `seq()` function to create a sequence of integers.

```
x = c(1, 2, 3, 4, 5)
x
```

```
## [1] 1 2 3 4 5
```

```
x = seq(1:5)
x
```

```
## [1] 1 2 3 4 5
```

```
class(x)
```

```
## [1] "integer"
```

```
typeof(x)
```

```
## [1] "integer"
```

# Double

Double is a special subset of `numeric` that contains fractional values.

Double stands for [double-precision](#)

```
y = c(1.1, 2.0, 3.2, 4.5, 5.6)
y
```

```
## [1] 1.1 2.0 3.2 4.5 5.6
```

```
class(y)
```

```
## [1] "numeric"
```

```
typeof(y)
```

```
## [1] "double"
```



## Checking double vs integer

A `tibble` will show the difference (as does `glimpse()`)

```
tibble(xvar = x, yvar = y)
```

```
## # A tibble: 5 × 2
##   xvar  yvar
##   <int> <dbl>
## 1     1  1.1
## 2     2   2
## 3     3  3.2
## 4     4  4.5
## 5     5  5.6
```

# Logical

`logical` is a type that only has two possible elements: `TRUE` and `FALSE`

```
x = c(TRUE, FALSE, TRUE, TRUE, FALSE)
class(x)
```

```
## [1] "logical"
```

Note that `logical` elements are NOT in quotes.

```
z = c("TRUE", "FALSE", "TRUE", "FALSE")
class(z)
```

```
## [1] "character"
```

## General Class Information

There are two useful functions associated with practically all R classes:

- `is.CLASS_NAME(x)` to **logically check** whether or not `x` is of certain class
- `as.CLASS_NAME(x)` to **coerce between classes** `x` from current `x` class into a certain class

# General Class Information: Checking

```
is.character(c(1, 4, 7))
```

```
## [1] FALSE
```

```
is.numeric(c(1, 4, 7))
```

```
## [1] TRUE
```

```
is.character(c("tree", "cloud"))
```

```
## [1] TRUE
```

```
is.numeric(c("tree", "cloud"))
```

```
## [1] FALSE
```

## General Class Information: coercing

In some cases the coercing is seamless

```
as.character(c(1, 4, 7))
```

```
## [1] "1" "4" "7"
```

```
as.numeric(c("1", "4", "7"))
```

```
## [1] 1 4 7
```

```
as.logical(c("TRUE", "FALSE", "FALSE"))
```

```
## [1] TRUE FALSE FALSE
```

```
as.integer(c(1.2, 3.7))
```

```
## [1] 1 3
```

```
as.double(c(1, 2, 3))
```

```
## [1] 1 2 3
```

## General Class Information: coercing

In some cases the coercing is not possible; if executed, will return `NA` (an R constant representing “**N**ot **A**vailable” i.e. missing value)

```
as.numeric(c("1", "4", "7a"))
```

```
## Warning: NAs introduced by coercion
```

```
## [1] 1 4 NA
```

```
as.logical(c("TRUE", "FALSE", "UNKNOWN"))
```

```
## [1] TRUE FALSE NA
```

```
as.Date(c("2021-06-15", "2021-06-32"))
```

```
## [1] "2021-06-15" NA
```

# Factors

A `factor` is a special `character` vector where the elements have pre-defined groups or 'levels'. You can think of these as qualitative or categorical variables. Use the `factor()` function to create factors.

```
x <- c("small", "mediam", "large", "medium", "large")  
class(x)
```

```
## [1] "character"
```

```
x_fact = factor(x) # factor() is a function  
class(x_fact)
```

```
## [1] "factor"
```

```
x_fact
```

```
## [1] small mediam large medium large  
## Levels: large mediam medium small
```

Note that levels are, by default, in **alphanumerical** order!

# Factors

You can learn what are the unique levels of a `factor` vector

```
levels(x_fact)
```

```
## [1] "large" "mediam" "medium" "small"
```

More on how to change the levels ordering in a lecture coming up!



# Factors

Factors can be converted to `numeric` or `character` very easily

```
x_fact
```

```
## [1] small  mediam large  medium large  
## Levels: large mediam medium small
```

```
as.character(x_fact)
```

```
## [1] "small"  "mediam" "large"  "medium" "large"
```

```
as.numeric(x_fact)
```

```
## [1] 4 2 1 3 1
```

## Useful functions to create vectors

For character: `rep()` can create very long vectors.

The `each` argument specifies how many of each item you want repeated. The `times` argument specifies how many times you want the vector repeated.

```
rep(c("black", "white"), each = 3)
```

```
## [1] "black" "black" "black" "white" "white" "white"
```

```
rep(c("black", "white"), times = 3)
```

```
## [1] "black" "white" "black" "white" "black" "white"
```

```
rep(c("black", "white"), each = 2, times = 2)
```

```
## [1] "black" "black" "white" "white" "black" "black" "white" "white"
```

## Useful functions to create vectors

For numeric: `seq()` can be very useful. The `from` argument says what number to start on. The `to` argument says what number to not go above. The `by` argument says how much to increment by. The `length.out` argument says how long the vector should be overall.

```
seq(from = 0, to = 1, by = 0.2)
```

```
## [1] 0.0 0.2 0.4 0.6 0.8 1.0
```

```
seq(from = -5, to = 5, length.out = 10)
```

```
## [1] -5.0000000 -3.8888889 -2.7777778 -1.6666667 -0.5555556 0.5555556  
## [7] 1.6666667 2.7777778 3.8888889 5.0000000
```

# Lab Part 1

Lab document:

[http://jhudatascience.org//intro\\_to\\_r/Data\\_Classes/lab/Data\\_Classes\\_Lab.Rmd](http://jhudatascience.org//intro_to_r/Data_Classes/lab/Data_Classes_Lab.Rmd)

Two-dimensional data classes

## Two-dimensional data classes

Two-dimensional classes are those we would often use to store data read from a file

- a data frame (`data.frame` or `tibble` class)
- a matrix (`matrix` class)
  - also composed of rows and columns
  - unlike `data.frame` or `tibble`, the entire matrix is composed of one R class
  - for example: all entries are `numeric`, or all entries are `character`

# Matrices

```
head(iris)
```

```
##      Sepal.Length Sepal.Width Petal.Length Petal.Width Species
## 1           5.1         3.5         1.4         0.2    setosa
## 2           4.9         3.0         1.4         0.2    setosa
## 3           4.7         3.2         1.3         0.2    setosa
## 4           4.6         3.1         1.5         0.2    setosa
## 5           5.0         3.6         1.4         0.2    setosa
## 6           5.4         3.9         1.7         0.4    setosa
```

```
class(iris)
```

```
## [1] "data.frame"
```

```
iris_mat <- head(tibble(select(iris, -Species)))
as.matrix(iris_mat)
```

```
##      Sepal.Length Sepal.Width Petal.Length Petal.Width
## [1,]           5.1         3.5         1.4         0.2
## [2,]           4.9         3.0         1.4         0.2
## [3,]           4.7         3.2         1.3         0.2
## [4,]           4.6         3.1         1.5         0.2
## [5,]           5.0         3.6         1.4         0.2
## [6,]           5.4         3.9         1.7         0.4
```

```
matrix(1:4, ncol = 2)
```

```
##      [,1] [,2]
## [1,]    1    3
```

# Lists

- One other data type that is the most generic are `lists`
- Can be created using `list()`
- Can hold vectors, strings, matrices, models, list of other list!

```
mylist <- list(c("A", "b", "c"), c(1,2,3), matrix(1:4, ncol = 2))  
mylist
```

```
## [[1]]  
## [1] "A" "b" "c"  
##  
## [[2]]  
## [1] 1 2 3  
##  
## [[3]]  
##      [,1] [,2]  
## [1,]    1    3  
## [2,]    2    4
```

```
class(mylist)
```

```
## [1] "list"
```



# Lists

List elements can be named

```
mylist_named <- list(letters = c("A", "b", "c"),  
                    numbers = c(1, 2, 3),  
                    one_matrix = matrix(1:4, ncol = 2))
```

```
mylist_named
```

```
## $letters  
## [1] "A" "b" "c"  
##  
## $numbers  
## [1] 1 2 3  
##  
## $one_matrix  
##      [,1] [,2]  
## [1,]    1    3  
## [2,]    2    4
```

# Dates

There are two most popular R classes used when working with dates and times:

- `Date` class representing a calendar date
- `POSIXct` class representing a calendar date with hours, minutes, seconds

We convert data from character to `Date`/`POSIXct` to use functions to manipulate date/date and time

`lubridate` is a powerful, widely used R package from “tidyverse” family to work with `Date` / `POSIXct` class objects

## Creating Date class object

```
class("2021-06-15")
```

```
## [1] "character"
```

```
library(lubridate)
```

```
ymd("2021-06-15")           # lubridate package
```

```
## [1] "2021-06-15"
```

```
class(ymd("2021-06-15"))    # lubridate package
```

```
## [1] "Date"
```

Note for function `ymd`: **y**ear **m**onth **d**ay

## Creating `Date` class object

```
mdy("06/15/2021")
```

```
## [1] "2021-06-15"
```

```
mdy("06/15/21")
```

```
## [1] "2021-06-15"
```

Note for function `mdy`: **m**onth **d**ay **y**ear

## Lab Part 2

Lab document:

[http://jhudatascience.org//intro\\_to\\_r/Data\\_Classes/lab/Data\\_Classes\\_Lab.Rmd](http://jhudatascience.org//intro_to_r/Data_Classes/lab/Data_Classes_Lab.Rmd)

**Extra Slides**

## Creating `POSIXct` class object

```
class("2013-01-24 19:39:07")
```

```
## [1] "character"
```

```
ymd_hms("2013-01-24 19:39:07") # lubridate package
```

```
## [1] "2013-01-24 19:39:07 UTC"
```

```
class(ymd_hms("2013-01-24 19:39:07")) # lubridate package
```

```
## [1] "POSIXct" "POSIXt"
```

UTC represents time zone, by default: Coordinated Universal Time

Note for function `ymd_hms`: **y**year **m**onth **d**ay **h**our **m**inute **s**econd.

There are functions in case your data have only date, hour and minute (`ymd_hm()`) or only date and hour (`ymd_h()`).

## Some useful functions from `lubridate` to manipulate `Date` objects

```
x <- ymd(c("2021-06-15", "2021-07-15"))
```

```
x
```

```
## [1] "2021-06-15" "2021-07-15"
```

```
day(x) # see also: month(x) , year(x)
```

```
## [1] 15 15
```

```
x + days(10)
```

```
## [1] "2021-06-25" "2021-07-25"
```

```
x + months(1) + days(10)
```

```
## [1] "2021-07-25" "2021-08-25"
```

```
wday(x, label = TRUE)
```

```
## [1] Tue Thu
```

```
## Levels: Sun < Mon < Tue < Wed < Thu < Fri < Sat
```



## Some useful functions from `lubridate` to manipulate `POSIXct` objects

```
x <- ymd_hms("2013-01-24 19:39:07")
```

```
x
```

```
## [1] "2013-01-24 19:39:07 UTC"
```

```
date(x)
```

```
## [1] "2013-01-24"
```

```
x + hours(3)
```

```
## [1] "2013-01-24 22:39:07 UTC"
```

```
floor_date(x, "1 hour") # see also: ceiling_date()
```

```
## [1] "2013-01-24 19:00:00 UTC"
```

## Differences in dates

```
x1 <- ymd(c("2021-06-15"))  
x2 <- ymd(c("2021-07-15"))
```

```
difftime(x2, x1, units = "weeks")
```

```
## Time difference of 4.285714 weeks
```

```
as.numeric(difftime(x2, x1, units = "weeks"))
```

```
## [1] 4.285714
```

Similar can be done with time (e.g. difference in hours).

# Data Selection

# Matrices

```
n = 1:9  
n
```

```
## [1] 1 2 3 4 5 6 7 8 9
```

```
mat = matrix(n, nrow = 3)  
mat
```

```
##      [,1] [,2] [,3]  
## [1,]    1    4    7  
## [2,]    2    5    8  
## [3,]    3    6    9
```

## Vectors: data selection

To get element(s) of a vector (one-dimensional object):

- Type the name of the variable and open the rectangular brackets [ ]
- In the rectangular brackets, type index (/vector of indexes) of element (/elements) you want to pull. **In R, indexes start from 1** (not: 0)

```
x <- c("a", "b", "c", "d", "e", "f", "g", "h")  
x
```

```
## [1] "a" "b" "c" "d" "e" "f" "g" "h"
```

```
x[2]
```

```
## [1] "b"
```

```
x[c(1, 2, 100)]
```

```
## [1] "a" "b" NA
```

## Matrices: data selection

Note you cannot use `dplyr` functions (like `select`) on matrices. To subset matrix rows and/or columns, use `matrix[row_index, column_index]`.

```
mat
```

```
##      [,1] [,2] [,3]
## [1,]    1    4    7
## [2,]    2    5    8
## [3,]    3    6    9
```

```
mat[1, 1] # individual entry: row 1, column 1
```

```
## [1] 1
```

```
mat[1, 2] # individual entry: row 1, column 2
```

```
## [1] 4
```

```
mat[1, ] # first row
```

```
## [1] 1 4 7
```

```
mat[, 1] # first column
```

```
## [1] 1 2 3
```

```
mat[c(1,2), c(2,3)] # subset of original matrix: two rows and two columns
```

## Lists: data selection

You can reference data from list using `$` (if elements are named) or using `[[ ]]`

```
mylist_named[[1]]
```

```
## [1] "A" "b" "c"
```

```
mylist_named[["letters"]]      # works only for a list with elements' names
```

```
## [1] "A" "b" "c"
```

```
mylist_named$letters          # works only for a list with elements' names
```

```
## [1] "A" "b" "c"
```